Shanley Pump and Equipment, Inc. 2525 South Clearbrook Drive Arlington Heights, II. 60005-4623 P:847,439.9200 . F:847.439.9388




DIMENSIONS "TECNIUM" PUMP TYPE:

BNB 32-160



	PUMP	BASE PLATE	MOTOR	FLANGES	SPEED RATING/r.p.m	
STANDARD	DIN EN 22858 ISO 2858 NF E 44121	EN 23661 ISO 3661	NEMA-IP 55	ANSI 150 lbs.	<u>1.450</u> 1.740	



Pump type	Motor		Pump			Assembly					Base plate							
	Tipo	HP	a	f	h1	h2	н	L1	A	B2	k	k1	×	L3	L2	В3	B1	d
BNB 32-160		1	3.15	15.16	5.2	6.3	8.7	31.5	2.36	14.17	13.03	35.28	3.94	21.3	5.12	12.6	10.24	0.7

	Df	Sf	Discharge	Df	Suction	Sf
DN	1-1/4"	2"		S.		
D	4.63"	6"				
С	3.5"	4.75"	17		1/7	
U	2.5"	3.63"	1)	٥٢١	The !	(T)
N°	4	4	1		1	
S	1/2"	5/8"	N _e		N°	
L	2"	2"				

AND THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO I

ITEM ____

ORDER N: ____

Loads in nozzles

Traction $\frac{Df1"1/4}{Sf 2"} = \frac{157}{292}$ lb.

Moment $\frac{Df1"1/4}{Sf 2"} = \frac{8803}{11444}$ lb.in

CLIENT: ____

We	eight	(lbs.)			
Pump	99	Base plate	55	Motor	20.46

imensions in inches

Ed. 05.07

TECHUM®

Tech. Sheet 49023